VOL. 688, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY A 30 DECEMBER 1994

# CONTENTS

*(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)*

## REGULAR PAPERS

*Column Liquid Chromatography*

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography
by G.M. Zhong and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received 10 August 1994) . . . . . 1

29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface
by A.B. Scholten, J.W. de Haan, H.A. Claessens, L.J.M. van de Ven and C.A. Cramers (Eindhoven, Netherlands) (Received 28 September 1994) . . . . . 25

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate
by M.C. Montes, C. van Amen, J.J. Pesek and J.E. Sandoval (San José, CA, USA) (Received 6 October 1994) 31

Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography
by D.E. Richardson, G.H. Ash and P.E. Harden (Boyer, Australia) (Received 28 June 1994) . . . . . 47

Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines
by S.M. Billedeau, T.M. Heinze, J.G. Wilkes and H.C. Thompson, Jr. (Jefferson, AR, USA) (Received 12 September 1994) . . . . . 55

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography–particle beam mass spectrometry
by I. Kambhampati, K.S. Roinestad, T.G. Hartman, J.D. Rosen and E.K. Fukuda (New Brunswick, NJ, USA), R.L. Lippincott (Trenton, NJ, USA) and R.T. Rosen (New Brunswick, NJ, USA) (Received 7 September 1994) . . . . 67

Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes
by G. Nilvé, M. Knutsson and J.Å. Jönsson (Lund, Sweden) (Received 23 September 1994) . . . . . 75

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography
by Y.F. Hallock, J. Dai, H.R. Bokesch, K.B. Dillah, K.P. Manfredi, J.H. Cardellina II and M.R. Boyd (Frederick, MD, USA) (Received 26 September 1994) . . . . . 83

Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection
by F.S. Stover, J.A. Bulmahn and J.K. Gard (St. Louis, MO, USA) (Received 15 September 1994) . . . . . 89

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime
by Ch.-H. Fischer and M. Giersig (Berlin, Germany) (Received 6 October 1994) . . . . . 97

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography
by Y.-S. Ho and P.C. Uden (Amherst, MA, USA) (Received 27 September 1994) . . . . . 107

*Gas Chromatography*

Determination of second cross virial coefficients from gas–liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons
by B. Khalfaoui and D.M.T. Newsham (Manchester, UK) (Received 9 August 1994) . . . . . 117

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column
by M.H. Abraham, J. Andonian-Haftven, C.M. Du and J.P. Osei-Owusu (London, UK), P. Sakellariou (Slough, UK), W.J. Shuely (Aberdeen Proving Ground, MD, USA) and C.F. Poole and S.K. Poole (Detroit, MI, USA) (Received 15 August 1994) . . . . . 125

*(Continued overleaf)*

*Contents (continued)*

Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level
by W.E. Wentworth, H. Cai and S. Stearns (Houston, TX, USA) (Received 13 September 1994) . . . . . 135

Holophotal flame photometric detection
by W.A. Aue, C.G. Eisener, J.A. Gebhardt and N.B. Lowery (Halifax, Canada) (Received 1 June 1994) . . . . . 153

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design
by E. de Vanssay, S. Zubrzycki, R. Sternberg and F. Raulin (Créteil, France) and M. Sergent and R. Phan-Tan-Luu (Marseille, France) (Received 18 August 1994) . . . . . 161

Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system
by Y.H. Xu and S. Mitra (Newark, NJ, USA) (Received 30 September 1994) . . . . . 171

Determination of organic pollutants in small samples of groundwaters by liquid–liquid extraction and capillary gas chromatography
by I. Harrison, R.U. Leader and J.J.W. Higgo (Nottingham, UK) and J.C. Tjell (Lyngby, Denmark) (Received 22 June 1994) . . . . . 181

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling
by S.F. Patil (Pune, India) and S.T. Lonkar (Rasayani, India) (Received 10 August 1994) . . . . . 189

Gas–solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications
by D.W. Armstrong, K. Le, G.L. Reid, III, S.C. Lee, K.K. Beutelmann, M. Horak and P. Tran (Rolla, MO, USA) (Received 16 August 1994) . . . . . 201

Gas chromatographic–mass spectrometric, high-performance liquid chromatographic–UV and gas chromatographic–Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes
by A. Sturaro, G. Parvoli, R. Rella and L. Doretti (Padova, Italy) (Received 31 August 1994) . . . . . 211

Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins
by L.D. Sivils, S. Kapila and Q. Yan (Rolla, MO, USA) and A.A. Elseewi (Rosemead, CA, USA) (Received 30 August 1994) . . . . . 221

Thermal decomposition characterization of explosives by pyrolysis–gas chromatography–mass spectrometry
by J. Yinon and R.A. Yost (Gainesville, FL, USA) and S. Bulusu (Picatinny Arsenal, NJ, USA) (Received 29 August 1994) . . . . . 231

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry
by M. Terreni (Pavia and Milan, Italy), E. Benfenati, M. Natangelo and G. Facchini (Milan, Italy) and G. Pagani (Pavia, Italy) (Received 2 August 1994) . . . . . 243

Identification by headspace gas chromatography–mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one
by S. Karlsson, M. Hakkarainen and A.-C. Albertsson (Stockholm, Sweden) (Received 2 September 1994) . . . . 251

*Supercritical Fluid Chromatography*

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography
by R.M. Smith and D.A. Briggs (Loughborough, UK) (Received 6 October 1994) . . . . . 261

*Electrophoresis*

Effects of pH and hydroxypropyl $\beta$-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases
by Y.Y. Rawjee, R.L. Williams, L.A. Buckingham and G. Vigh (College Station, TX, USA) (Received 12 September 1994) . . . . . 273

Capillary electrokinetic chromatography with a suspension of chromatographic particles
by K. Bächmann, B. Göttlicher, I. Haag, K.-Y. Han, W. Hensel and A. Mainka (Darmstadt, Germany) (Received 8 June 1994) . . . . . 283

Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis
by Y. Zhang and I.M. Warner (Baton Rouge, LA, USA) (Received 25 August 1994) . . . . . 293

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins
by A. Buzy, P. Thibault and M.V. Laycock (Halifax, Canada) (Received 31 August 1994) . . . . . 301

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis
by A.W. Garrison, P. Schmitt and A. Kettrup (Oberschleissheim, Germany) (Received 12 September 1994) . . . . 317

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt
by A. Aumatell and R.J. Wells (Pymble, Australia) (Received 9 September 1994) . . . . . 329

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis
by Q. Yang, J. Smeyers-Verbeke, W. Wu, M.S. Khots and D.L. Massart (Brussels, Belgium) (Received 19 August 1994) . . . . . 339

SHORT COMMUNICATIONS

*Column Liquid Chromatography*

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography
by K.-H. Kwon and K.-J. Paeng (Wonju, South Korea), D.K. Lee and I.C. Lee (Chunchon, South Korea) and U.S. Hong and G.S. Cha (Seoul, South Korea) (Received 5 October 1994) . . . . . 350

Preparative isolation of the lectin jacalin by anion-exchange high-performance liquid chromatography
by S.G. De Simon (Rio de Janeiro and Ni, Brazil) and R. Santos, M.F. Araujo and R.T. Pinho (Rio de Janeiro, Brazil) (Received 20 September 1994) . . . . . 357

Selectivity effects in semi-polar columns. II
by P. Fernandez, R. Vilanova, L. Berdie and J.O. Grimalt (Barcelona, Spain) (Received 13 September 1994) . . . 363

Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography–flame ionization detection of low concentrations of volatile organic compounds in air
by X.-L. Cao and C.N. Hewitt (Lancaster, UK) (Received 20 September 1994) . . . . . 368

Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography–mass spectrometry
by K.W. Ro, J.B. Choi, M.H. Lee and J.W. Kim (Kyung gi-Do, South Korea) (Received 4 August 1994) . . . . . 375

*Planar Chromatography*

Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography
by H. Zahradníčková, P. Šimek, P. Hořicová and J. Tříska (Budějovice, Czech Republic) (Received 13 October 1994) . . . . . 383

BOOK REVIEW

Basic Relationships of Gas Chromatography (by L.S. Ettre and J.V. Hinshaw), reviewed by J. Janák (Brno, Czech Republic) 390

AUTHOR INDEX . . . . . 391